

Table 6.13: Deaths aged under 90¹, years of 'working life'² lost and years of 'life to age 90'³ lost due to mortality from selected causes, per 10,000 population, Scotland, 2012

ICD Codes	Cause of death	Deaths aged under 90		Mean age at death ⁴ (if under 90)	Years of life lost			
		Number	Rate per 10,000 population (all ages) ⁵		Working life (age 15-64)		Life to age 90	
					Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵	Years lost (thousands)	Years lost per 10,000 population (all ages) ⁵
All causes	All	46,431	87	73	145	272	812	1,527
	Males	23,667	92	71	91	352	460	1,784
	Females	22,764	83	75	54	197	352	1,285
C00-97	Malignant neoplasms	M 7,591	29	72	16	61	138	535
		F 7,264	27	72	18	67	133	485
C18-21	Malignant neoplasm of colon and rectum	M 790	3	73	1	5	14	53
		F 714	3	73	2	6	12	44
C33-34	Malignant neoplasm of trachea, bronchus and lung	M 2,046	8	72	3	13	37	144
		F 2,008	7	72	3	12	35	130
C50	Malignant neoplasm of breast	M 8	-	70	-	-	-	1
		F 985	4	68	4	16	22	80
C51-68	Malignant neoplasm of genitourinary organs	M 1,314	5	75	1	6	19	75
		F 1,006	4	70	3	12	20	72
C91-95	Leukaemia	M 192	1	71	1	2	4	15
		F 148	1	71	1	2	3	10
I00-I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	M 6,832	27	73	16	61	116	451
		F 6,181	23	78	6	23	74	270
I20-25	Ischaemic heart diseases	M 3,931	15	72	10	38	71	276
		F 2,614	10	78	2	9	32	117
I05-15	Other heart disease and hypertension	M 209	1	72	-	2	4	15
		F 257	1	77	-	1	3	12
I60-69	Cerebrovascular diseases	M 1,448	6	76	2	8	20	77
		F 1,949	7	79	2	7	22	79
J00-J99	X. DISEASES OF THE RESPIRATORY SYSTEM	M 2,780	11	76	3	12	38	149
		F 2,957	11	77	3	11	38	140
J12-18	Pneumonia	M 674	3	78	1	3	8	33
		F 702	3	80	1	2	7	26
J40-46	Bronchitis, emphysema and asthma	M 1,310	5	75	1	5	19	76
		F 1,571	6	75	2	6	23	84
Rem. J00-99	Other diseases of the respiratory system	M 796	3	77	1	3	11	41
		F 684	2	78	1	3	8	30
Q00-Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	M 74	-	27	2	9	5	18
		F 86	-	34	2	8	5	17
R95	Sudden infant death syndrome	M 17	-	-	1	3	1	6
		F 12	-	-	1	2	1	4
V01-X59	All accidental deaths	M 921	4	52	16	61	35	135
		F 500	2	67	4	15	12	43
V01-80, V87, V89, Y85	Motor vehicle traffic accidents	M 142	1	44	3	12	6	25
		F 45	-	54	1	3	2	6
X60-X84, Y87.0	Intentional self-harm	M 425	2	44	9	36	19	76
		F 141	1	44	3	11	6	23

Footnotes

- 1) The figures in this table relate only to people who died before their 90th birthdays.
- 2) Defined as: 50 for deaths aged under 15; (65 minus mid-point of relevant age-group) for deaths aged 15-64; and 0 for deaths aged 65 and over. For example, someone dying at 38 would be counted as losing 28 years of working life, because 37 is the mid-point of the 35-39 age-group and subtracting 37 from 65 gives 28.
- 3) Defined as: (90 minus mid-point of relevant age-group) for deaths aged 0-89; and 0 for deaths aged 90 and over. For example, someone dying at 38 would be counted as losing 53 years of life, because 37 is the mid-point of the 35-39 age group and subtracting 37 from 90 gives 53.
- 4) This is calculated using the actual age (in whole years) at death, not using the mid-point of the relevant age-group.
- 5) The population of all ages (including people aged 90 and over) is used as the denominator for the rate.