

**Table 4.06: Stillbirth rates <sup>1</sup>, by sex <sup>2</sup> and cause, Scotland, 2006 to 2016**

ICD10 list	Cause of death												
			2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
	<b>All causes</b>	<b>P</b>	<b>5.3</b>	<b>5.6</b>	<b>5.4</b>	<b>5.3</b>	<b>4.9</b>	<b>5.1</b>	<b>4.7</b>	<b>4.2</b>	<b>4.0</b>	<b>3.8</b>	<b>4.3</b>
		<b>M</b>	<b>5.3</b>	<b>5.9</b>	<b>5.8</b>	<b>5.2</b>	<b>5.2</b>	<b>5.1</b>	<b>4.6</b>	<b>3.7</b>	<b>3.8</b>	<b>3.7</b>	<b>4.1</b>
		<b>F</b>	<b>5.3</b>	<b>5.4</b>	<b>5.0</b>	<b>5.5</b>	<b>4.6</b>	<b>5.1</b>	<b>4.9</b>	<b>4.7</b>	<b>4.2</b>	<b>4.0</b>	<b>4.6</b>
<b>P00-P96</b>	<b>XVI. Certain conditions originating in the perinatal period of which</b>	<b>M</b>	<b>4.8</b>	<b>5.5</b>	<b>5.3</b>	<b>4.6</b>	<b>4.8</b>	<b>4.5</b>	<b>4.0</b>	<b>3.1</b>	<b>3.5</b>	<b>3.2</b>	<b>3.5</b>
		<b>F</b>	<b>4.9</b>	<b>5.0</b>	<b>4.4</b>	<b>4.8</b>	<b>4.1</b>	<b>4.8</b>	<b>4.3</b>	<b>4.4</b>	<b>3.6</b>	<b>3.1</b>	<b>3.7</b>
<i>P02</i>	<i>Fetus and newborn affected by complications of placenta, cord and membranes</i>	<i>M</i>	<i>0.8</i>	<i>1.1</i>	<i>0.9</i>	<i>1.0</i>	<i>1.2</i>	<i>1.0</i>	<i>1.1</i>	<i>0.9</i>	<i>1.3</i>	<i>0.6</i>	<i>1.3</i>
		<i>F</i>	<i>0.8</i>	<i>1.1</i>	<i>0.8</i>	<i>0.8</i>	<i>0.7</i>	<i>1.2</i>	<i>1.0</i>	<i>0.9</i>	<i>0.8</i>	<i>0.9</i>	<i>0.7</i>
<i>P05-08</i>	<i>Disorders related to length of gestation and fetal growth</i>	<i>M</i>	<i>0.3</i>	<i>0.2</i>	<i>0.3</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>
		<i>F</i>	<i>-</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>-</i>	<i>0.3</i>	<i>0.3</i>	<i>0.1</i>	<i>0.2</i>
<i>P20-29</i>	<i>Respiratory and cardiovascular disorders specific to the perinatal period</i>	<i>M</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>-</i>
		<i>F</i>	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>
<b>Q00-Q99</b>	<b>XVII. Congenital malformations, deformations and chromosomal abnormalities</b>	<b>M</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.7</b>	<b>0.4</b>	<b>0.6</b>	<b>0.5</b>	<b>0.5</b>	<b>0.2</b>	<b>0.4</b>	<b>0.6</b>
		<b>F</b>	<b>0.3</b>	<b>0.3</b>	<b>0.6</b>	<b>0.7</b>	<b>0.5</b>	<b>0.3</b>	<b>0.5</b>	<b>0.3</b>	<b>0.6</b>	<b>0.7</b>	<b>0.8</b>

**Footnotes**

1) Per 1,000 births (live and still).

2) 'Males' includes any cases for which the sex was unknown.